

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publica	tions/Services Standards Conferences Careers/Jobs
IEEE )	Welcome United States Patent and Trademark Office
Help FAQ Terms Peer Review	IEEE · Quick Links v Search
Welcome to IEEE Xplore*  - Home - What Can I Access? - Log-out	Your search matched 4 of 1000582 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.  Refine This Search:
Tables of Contents  - Journals & Magazines  - Conference Proceedings  - Standards	You may refine your search by editing the current search expression or entering a new one in the text box.  Search  Check to search within this result set
Search  - By Author - Basic - Advanced	Results Key:  JNL = Journal or Magazine CNF = Conference STD = Standard  = Your access to full-text
Member Services  - Join IEEE - Establish IEEE Web Account - Access the IEEE Member Digital Library	1 A low-cost broadcast digital audio system decoder integrated circuit Jacobs, G.M.; Consumer Electronics, IEEE Transactions on , Volume: 39 , Issue: 4 , No 1993 Pages: 723 - 732
	[Abstract] [PDF Full-Text (676 KB)] IEEE JNL
	2 Head-related transfer function modeling in 3-D sound systems with genetic algorithms  Ngai-Man Cheung; Trautmann, S.; Horner, A.;  Acoustics, Speech, and Signal Processing, 1998. ICASSP '98. Proceedings the 1998 IEEE International Conference on , Volume: 6 , 12-15 May 199 Pages:3529 - 3532 vol.6  [Abstract] [PDF Full-Text (340 KB)] IEEE CNF

# 3 Environmental noise reduction based on speech/non-speech identification for hearing aids

Itoh, K.; Mizushima, M.;

Acoustics, Speech, and Signal Processing, 1997. ICASSP-97., 1997 IEEE International Conference on , Volume: 1 , 21-24 April 1997



Pages:419 - 422 vol.1

[Abstract] [PDF Full-Text (372 KB)] IEEE CNF

### 4 A classification scheme for acoustical room responses

Bharitkar, S.; Kyriakakis, C.;

Signal Processing and its Applications, Sixth International, Symposium or

2001, Volume: 2, 13-16 Aug. 2001


Pages:671 - 674 vol.2

[Abstract] [PDF Full-Text (328 KB)] IEEE CNF

Copyright © 2004 IEEE — All rights reserved



> home : > about : > feedback **US Patent & Trademark Office** 



Search Results

Search Results for: [(audio system) AND (weight and usage) AND (NOT playing with time)1

Found 5 of 126,502 searched.

Se	ar	ch	within	Results
----	----	----	--------	---------

<b>Go</b> >	> Advanced Search
-------------	-------------------

> Search Help/Tips

Binder 🕏 Sort by: Title Publication **Publication Date** Score

Results 1 - 5 of 5 short listing

Posters: Using an autonomous cube for basic navigation and input Kristof Van Laerhoven, Nicolas Villar, Albrecht Schmidt, Gerd Kortuem, Hans Gellersen Proceedings of the 5th international conference on Multimodal interfaces November 2003

This paper presents a low-cost and practical approach to achieve basic input using a tactile cube-shaped object, augmented with a set of sensors, processor, batteries and wireless communication. The algorithm we propose combines a finite state machine model incorporating prior knowledge about the symmetrical structure of the cube, with maximum likelihood estimation using multivariate Gaussians. The claim that the presented solution is cheap, fast and requires few resources, is demonstrated by im ...

2 DVD players

77%

77%

Dave Phillips

Linux Journal December 2003

Volume 2003 Issue 116

Dave compares and tests the best DVD-playingsoftware.

**3** From System Specification To Layout: Seamless Top-Down Design An Methods for Analog and Mixed-Signal Applications

77%

R. Sommer , I. Rugen-Herzig , E. Hennig , U. Gatti , P. Malcovati , F. Maloberti , K. Einwich , C. Clauss , P. Schwarz , G. Noessing

Proceedings of the conference on Design, automation and test in Europe March 2002

Deisgn automation for analog/mixed-signal (A/MS) circuits and systems is still lagging behind compared to what has been reached in the digital area. As System-on-Chip (SoC) designs include analog components in more cases, these analog parts become even more a bottle neck in the overall design process. The paper is dedicated to latest R&D activities within the MEDEA+ project ANASTASIA+. Main focus will be the development of seamless top-down design methods for integrated analog and misxsignal syste ...



4 Nomadic radio: speech and audio interaction for contextual messaging in 77% বী nomadic environments

Nitin Sawhney , Chris Schmandt

ACM Transactions on Computer-Human Interaction (TOCHI) September 2000 Volume 7 Issue 3

Mobile workers need seamless access to communication and information services while on the move. However, current solutions overwhelm users with intrusive interfaces and ambiguous notifications. This article discusses the interaction techniques developed for Nomadic Radio, a wearable computing platform for managing voice and text-based messages in a nomadic environment. Nomadic Radio employs an auditory user interface, which synchronizes speech recognition, speech synthesis, nonspeech audio ...

5 Octopus: embracing the energy efficiency of handheld multimedia বী computers

77%

Paul J. M. Havinga , Gerard J. M. Smit


Proceedings of the 5th annual ACM/IEEE international conference on Mobile computing and networking August 1999

#### Results 1 - 5 of 5 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home : > about : > feedback : > login **US Patent & Trademark Office** 



## Search Results

Search Results for: [(Audio system) AND (weight ) AND (NOT playtime)] Found 1 of 126,502 searched.

		·	,							
Search within Results								,		
							GO	> Advanced Search		
> Search Help/Tips										
Sor	t by:	Title	Publicat	ion	Publication	Date	Score	Binder		· .·
Res	ults 1	- 1 of	1 sho	rt lis	ting					
1					ed psychoac	ousti	c mode	I for audio compr	ession	80%
4	Proce	edings			h ACM intern	ationa	al confer	ence on Multimedia	(Part 1)	
		er 1999 his pap		s an	excitation leve	l base	d psychol	acoustic model to esti	mate the	

simultaneous masking threshold for audio coding. The system has the following stages: 1) a windowing function; 2) a time-to-frequency transformation; 3) an excitation level calculation block similar to that in Moore and Glasberg's loudness model; 4) a correction factor for estimating masking threshold; 5) the inclusion of the absolute masking threshold; 6) the output Signal-to-Masking ratio. We have evaluate ...

#### Results 1 - 1 of 1 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



IEEE /	RELEASE 1.6	Welcome United States Patent and Trademark Office
Help FAQ Terms IEE	EE Peer Review Quick Links	» Se
Welcome to IEEE Xplores  - Home - What Can I Access? - Log-out	Your search matched 0 of A maximum of 500 result Descending order.  Refine This Search:	1000582 documents. s are displayed, 15 to a page, sorted by Relevance
Tables of Contents  - Journals & Magazines - Conference Proceedings	You may refine your search new one in the text box.  audio and system and compute the computer of the computer	
O- Standards Search	Results Key:  JNL = Journal or Magazin  = Your access to full-to	e <b>CNF</b> = Conference <b>STD</b> = Standard
O- By Author O- Basic O- Advanced	Results:	
Member Services  - Join IEEE - Establish IEEE - Web Account	No documents matched	your query.
O- Access the IEEE Member Digital Library	Conference Proceedings I Standards I Soci	rch hy Author I Basic Search I Advanced Search I Join IEEE I Web Account I

New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online

Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved